


ITEM TECHNICAL CARD



air consumption x cycle 6 bar (lt)	7,5
stroke (mm)	0/6,5
max power at 6bar (N)	19000
air working pressure (bar)	6
min/max air pressure (bar)	5 - 7
weight (kg)	2,405
noise level dB(A)	< 70
vibrations (m/s ²)	< 2,5

DESCRIZIONE \ DESCRIPTION: RIV998-Hydrop. tool for rivet nuts in a box with tie rod and heads from			CATEGORIA \ CATEGORY: 2237000	
MATERIAL \ MATERIAL:		TRATTAMENTO TERMICO \ HEAT TREATMENT:		NOTE \ NOTES:
ESEGUITO DA \ DRAWN BY: RIVIT	DATA:	TRATT. SUPERFICIALE \ SURF. TREATMENT:	Rugosità superficiale generale: General surface roughness:	
CONTROLLATO DA \ CHECKED BY: RIVIT	DATA:	PROFONDITÀ TRATTAMENTO TERMICO (SURF) [mm]: HEAT TREATMENT (SURF) DEPTH [mm]:	NON SCALARE IL DISEGNO DO NOT RESIZE THE DRAW	
APPROVATO DA \ APPROVED BY: RIVIT	DATA:	DUREZZA \ HARDNESS:	FOGLIO \ SHEET: 1 OF 1	FORMATO FOGLIO: SHEET FORMAT: A4
PESO \ WEIGHT:		Scale \ SCALE:	CARTIGLIO \ FORMAT Mod.P023_07	METODO 1 (ISO 128) METHOD 1 (ISO 128) REVISIONE: REVISION:



**FASTENERS
& TOOLS**
RIVIT.IT