


ITEM TECHNICAL CARD



consommation d'air par cycle 6 bar (lt)	7,5
course (mm)	0/6,5
force de traction à 6bar (N)	19000
pression de travail d'air (bar)	6
pression d'air min.-max. (bar)	5 - 7
poids (kg)	2,405
niveau sonore dB(A)	< 70
vibrations (m/s ²)	< 2,5

DESCRIZIONE \ DESCRIPTION: RIV998-Hydrop. tool for rivet nuts in a box with tie rod and heads from		CATEGORIA \ CATEGORY: 2237000	
MATERIAL \ MATERIAL:		TRATTAMENTO TERMICO \ HEAT TREATMENT:	
ESEGUITO DA \ DRAWN BY: RIVIT		NOTE \ NOTES:	
DATA:		TRATT. SUPERFICIALE \ SURF. TREATMENT: Rugosità superficiale generale: General surface roughness:	
CONTROLLATO DA \ CHECKED BY: RIVIT		PROFONDITÀ TRATTAMENTO TERMICO (SURF) [mm]: HEAT TREATMENT (SURF) DEPTH [mm]:	
APPROVATO DA \ APPROVED BY: RIVIT		NON SCALARE IL DISEGNO DO NOT RESIZE THE DRAW	
PESO \ WEIGHT:		METODO 1 (ISO 128) REVISIONE: METHOD 1 (ISO 128) REVISION:	
FOGLIO \ SHEET: 1 OF 1		FORMATO FOGLIO: SHEET FORMAT: A4	
Scale \ SCALE:		CARTIGLIO \ FORMAT Mod.P023_07	



FASTENERS & TOOLS
 RIVIT.IT